






EDITION 2020




Ref.	Tasseaux / Gegenhalter / stakes	EWAG		
730 Q-21C	Normal H=20H6 pour meule cloche 12A2 45° Normal H=20H6 für Topfscheiben 12A2 45° Normal H=20H6 for bell Wheel 12A2 45°			
1081 Q-21CM	Normal H=20H6 avec masselottes d'équilibrage Normal H=20H6 mit Ausgleicher Normal H=20H6 with compensator			
948 Q-21D	Rallongé de 17 mm H=20H6 pour meule 1A1 et disque 1A1R Verlängert von 17 mm H= 20H6 für 1A1 und Trennscheiben 1A1R Lengthened by 17 mm H=20H6 for wheel 1A1 and 1A1R disc			
1082 Q-21DM	Rallongé de 17 mm H=20H6 avec masselottes d'équilibrage Verlängert von 17 mm H=20H6 mit Ausgleicher Lengthened by 17 mm H=20H6 with compensator			
949 Q-21E	Ø 10 mm di 20 mm			
949 Q-21E8	Ø 8 mm di 20 mm			
949 Q-21E6	Ø 6 mm di 20 mm			
949 Q-21E4	Ø 4 mm di 14 mm			
950 Q-21F	Ø 10 mm di 20 mm			
950 Q-21F8	Ø 8 mm di 20 mm			
950 Q-21F6	Ø 6 mm di 20 mm			
950 Q-21F4	Ø 4 mm di 14 mm			
1082 XL70	Rallongé de 70mm H=20H6 avec masselottes d'équilibrage Verlängert von 70mm H=20H6 mit Ausgleicher Lengthened by 70 mm H=20H6 with compensator			
1082 XL55	Rallongé de 55mm H=20H6 avec masselottes d'équilibrage Verlängert von 55mm H=20H6 mit Ausgleicher Lengthened by 55 mm H=20H6 with compensator			
1083 RM	Ecrou avec masselottes d'équilibrage Mutter mit Ausgleicher Nut with compensator			
W20-QEW	W20 → Ewag			

Ref.	Tasseaux / Gegenhalter / stakes	HUGI / TECHNICA	
1081H	Normal H=20H6 pour meule cloche 12A2 45° Normal H=20H6 für Topfscheiben 12A2 45° Normal H=20H6 for bell wheel 12A2 45°	 HUGI	
1085 Technica	Normal H=20H6 pour meule cloche 12A2 45° Normal H=20H6 für Topfscheiben 12A2 45° Normal H=20H6 for bell wheel 12A2 45°	 TECHNICA	


Ref.	Tasseaux / Gegenhalter / stakes	Schaublin B8	
ARTH04	Tasseau / Dorn B8 Ød 10mm ØD 10mm		B8
ARTH07	Tasseau / Dorn B8 Ød 20mm ØD 30mm		
ARTH11	Tasseau / Dorn B8 Ød 10mm ØD 30mm		



Ref.	Tasseaux en acier Gegenhalter aus Stahl Steel stakes	
AR THO 5	D=Ø 10mm d6 L75mm	
AR THO 2	D=Ø 10mm d6 L50mm	
AR THO 1	D=Ø 8mm d6 L50mm	
AR THO 3	D=Ø 6mm d6 L50mm	
AR THO 6	D=Ø 4mm d6 L50mm	



Ref.	Entretoises (flasques) antivibration gegen schwingung Antivibration flanges	Flansch	
FLA-1052	D45 d=20H6 T=3,5 (2xType F)		
FLA-1054	D65 d=20H6 T=3,5 (2xType F)		
FLA-1056	D65 d=10H6 T=3,5 (2xType F)		
FLA-1058	D35 d=10H6 (2x type F)		
FLA-1060	D30 d=10H6 (2x type F)		
FLA-10	D30 d=8H6 (2x type F)		
FLA-9	D30 d=6H6 (2x type F)		
FLA-8	D25 d=10H6 (2x type F)		
FLA-7	D25 d=8H6 (2x type F)		
FLA-6	D25 d=6H6 (2x type F)		
FLA-5	D20 d=8H6 (2x type F)		
FLA-4	D20 d=6H6 (2x type F)		
FLA-3	D20 d=4H6 (2x type F)		
FLA-2	D15 d=4H6 (2x type F)		
FLA-1	D10 d=4H6 (2x type F)		



2X type F


Ref.	Entretoises de réduction (flasques) pour disques H=20 Reduzierefflansche für Trennscheiben H=20 Reduction flange for disc H=20
------	--

1047 **H=20 => H=10** 35x5x10H6 (1x Type F + 1x Type M)



Type F

Type M



Réf. 1047: pour disque für
Trennscheiben / for disc Diameter 75

Ref.	Entretoises de réduction (flasques) pour meules H=20 Reduzierefflansche für Scheiben H=20 Reduction flange for Wheels H=20
------	--

1050 **H=20 => H=10** 35x5x10H6 (2x Type M)



2X type M

